



How long should the fiber optic cable be pulled out of the cold connector

Preview

Never pull on the connector. The connector/cable interface is not designed for pulling. Grips with a fixed pull ring should use a swivel to attach the pull rope. Do not exceed the. It is permissible for fiber optic cable to be wrapped or coiled as long as the minimum bend radius constraints are not violated. While fiber optic cables are typically stronger than copper cables, it is still important that the cable maximum pulling tension not be exceeded during any phase of cable. Never pull on the connector. Do not exceed the maximum tensile load. Many installers pull fiber by the outer jacket which is prone to. On long runs, use proper lubricants and make sure they are compatible with the cable jacket.

When an outdoor rated fiber cable enters a building, it should be spliced to an indoor- type fiber cable within 50 feet from the cable entrance to meet NEC code.

Fiber optic cable is surprisingly strong, durable and pliable; however, several best practices should be followed to ensure a successful cable installation. This article explores recommendations for pulling

In order to effectively pull cable without damaging the fiber, it is necessary to identify the strength material and fiber location within the cable. Then, use the method of attachment that pulls most

Most fiber damage does not come from normal operation after the system is live. It happens during installation, when excessive pulling force, tight bends, crushing or poor pathway

Cold weather can affect fiber optic cables, but they are generally more resilient to temperature extremes compared to other types of cables, such as

Introduction Fiber optic cables can be easily damaged if they are improperly handled or installed. It is imperative that certain procedures be followed in the handling of these cables to avoid damage

Never pull on the connector. The connector/cable interface is not designed for pulling. Use a pulling grip designed for pre-connected fiber optic cables. Grips with a fixed pull ring should use a swivel to

Unlike traditional fiber connectors that require epoxy and polishing, fast connectors use a mechanical splice to join the fibers. In this article, we will discuss the skills and techniques needed to install

All Fiber Optic Cable reels should be stored upright Laying the reel on its side may cause damage to the reel flange and/or cause the cable layers to shift - This may cause cable to snag during de-reeling.



How long should the fiber optic cable be pulled out of the cold connector

Never exceed the maximum pulling load rating. On long runs, use proper lubricants and make sure they are compatible with the cable jacket. On really long runs, pull from the middle out to both ends. If

The Right Fiber Optic Tool for the Job Fiber optic connectors are designed to be connected and disconnected many times without affecting the optical performance of the fiber circuit. Optimal

Never directly pull on the fiber itself. Fiber optic cables have Kevlar aramid yarn or a fiberglass rod as their strength member. You should pull on the fiber cable

Thorough cleaning and proper pulling: These two factors are key to achieving a high-quality fiber cable installation. Learn about the two biggest mistakes to avoid during fiber cable

Cable connectors should be protected from contamination and scratching at all times. Violation of any of these parameters causes increased attenuation or permanent damage to the cable. The following

Like the 4000 Series Fiber, the 6000 Series Fiber connector is suited for outdoor broadcasting, FTTx, server room engineering, civil engineering and aviation &

OverviewDo not exceed maximum cable lengthsDo not exceed minimum bend radius for a given cable typeAvoid twisting cableSuggested Pull GripsRouting Fiber Optic CablesInstallation ChecklistCleaning Techniques for Fiber Optic CablesCleaning Fiber Optic Cable EndsSERCOS Attenuation LimitsSystem Field Testing Verify Transmitter Output PowerSystem Field Testing Verify Receiver PowerConfigure test module as test light sourcePurposeHard Clad Silica Glass Fiber Optic Cable Mechanical LimitsRockwell Automation SupportOptical fibers require special care during installation to ensure reliable operation. Installation guidelines regarding minimum bend radius, tensile loads, twisting, squeezing, or pinching of cable must be followed. Cable connectors should be protected from contamination and scratching at all times. Violation of any of these parameters causes incre...See more on literature.rockwellautomation.com#b_results

```
.b_vidAns{border-radius:6px;box-shadow:0 0 0 1px rgba(0,0,0,.05);padding:16px 20px;gap:10px;background:#fff}@charset "UTF-8";#b_results
.b_ans.b_vidAns{box-shadow:none!important;padding:var(--smtc-gap-between-content-medium) 0!important;background:var(--bing-smtc-background-ctrl-fade-on-image-stop-0)}#b_results #serpvidans.vsacf
.mc_vtvc,#b_results #serpvidans.vsacf .mc_vtvc_th,#b_results #serpvidans.vsacf .cico,#b_results
#serpvidans.vsacf .mc_vtvc_htb,#b_results #serpvidans.vsacf .vrhc,#b_results #serpvidans.vsacf
.vrhcp,#b_results #serpvidans.vsacf .vrhtc,#b_results #serpvidans.vsacf
.vrhtpc{border-radius:var(--mai-smtc-corner-card-default)}#b_results #serpvidans.vsacf .mmlist
.mc_vtvc,#b_results #serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta{margin:0}#b_results
#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_channel,#b_results #serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf,#serpv
```

How long should the fiber optic cable be pulled out of the cold connector

```

idans.vsacf .expctn .expbody,#serpvidans.vsacf
.mmlist{display:flex;flex-direction:column;gap:var(--smtc-gap-between-content-medium)}#serpvidans.vsacf
.cico{height:auto}#serpvidans.vsacf .mc_vtvc_ban_lo{top:0;right:auto}#serpvidans.vsacf .mc_cwvc .mc_vtvc
.mc_vtvc_meta,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta{height:auto;padding:var(--smtc-gap-between-content-xx-small) 0
var(--smtc-gap-between-content-xx-small)
var(--smtc-gap-between-content-medium);display:flex;flex-direction:column;justify-content:space-between}#
serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_title,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta
.mc_vtvc_title{color:var(--smtc-ctrl-link-foreground-brand-rest);font:var(--bing-smtc-text-global-body2);height:
auto;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}#serpvidans.vsacf .mc_cwvc
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block{display:flex;flex-direction:column;gap:var(--smtc-padding-ctrl-text-side)}#serpvidans.
vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row{color:var(--smtc-foreground-content-neutral-primary);height:var(--mai-smtc-padding-card-
default);font:var(--bing-smtc-text-global-caption1)}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before{content:" . " }#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block
.mc_vtvc_meta_pubdate{color:var(--bing-smtc-foreground-content-neutral-tertiary);padding-bottom:0}.vsacf
.mc_cwvc .mc_vtvc_con_rc,.vsacf .mmlist .mc_vtvc_con_rc{display:flex}.vsacf .mc_cwvc .mc_vtvc_con_rc
.mc_vtvc_meta_w,.vsacf .mmlist .mc_vtvc_con_rc .mc_vtvc_meta_w{height:auto}#serpvidans.vsacf.vsasa
.vsb_tr_c .vsb_tr_t,#serpvidans.vsacf:not(.vsasa)
.b_title{display:none}#serpvidans.vsacf:not(.vsasa)>.b_title:first-child,#serpvidans.vsacf:not(.vsasa)
.expbody>.b_title:first-child,#serpvidans.vsacf:not(.vsasa)>#ans_ss_dlg+.b_title,#serpvidans.vsacf:not(.vsasa)
.expbody>#ans_ss_dlg+.b_title{display:block}.vsacf .b_title{padding-left:0}.vsacf .b_title
.mmtitle{font:var(--bing-smtc-text-global-subtitle1-strong);margin-bottom:0}.vsacf .b_title .mmtitle
a::after{content:"";margin:5px 5px 0 0;border-top:2px solid

```

How long should the fiber optic cable be pulled out of the cold connector

```

var(--smtc-foreground-content-neutral-primary);border-right:2px
var(--smtc-foreground-content-neutral-primary);background-size:7px
7px;width:7px;height:7px;transform:rotate(45deg);display:inline-block;margin-left:4px}#serpvidans.vsacf
.b_title .mmtitle{margin-bottom:0}#serpvidans.vsacf .b_title .mmtitle
a{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf
.mc_cwvc{width:100%;margin-bottom:var(--smtc-gap-between-content-x-small)}#serpvidans.vsacf
.mc_cwvc .mc_vtvc{box-shadow:none}#serpvidans.vsacf .mc_cwvc .mc_vtvc
.mc_vtvc_meta{height:100%;padding:var(--smtc-gap-between-content-x-small) 0
var(--smtc-gap-between-content-x-small)
var(--mai-smtc-padding-card-default);background:var(--bing-smtc-background-ctrl-fade-on-image-stop-0)}#s
erpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_title{font:var(--bing-smtc-text-global-body1)}#serpvidans.vsacf .cardless.mmllist
.mc_vtvc_con_rc,#serpvidans.vsacf .cardless.mmllist .mc_vtvc_th{height:auto}#serpvidans.vsacf
.vsb_tr_c.va_tt{margin:0}#serpvidans.vsacf .vtbc .mv_vtvc_play,#serpvidans.vsacf .vtbc
.mv_vtvc_play_ext{position:static}#serpvidans.vsacf .va_tt
.mc_vtvc_ban_lo{display:block}#serpvidans.vsacf
.mc_bc{width:auto;border-radius:var(--smtc-ctrl-badge-sm-corner);padding:var(--smtc-padding-ctrl-text-side)
var(--smtc-gap-between-content-xx-small)}#serpvidans.vsacf .rmts
.mc_bc.items{display:none}#serpvidans.vsacf
a.vsb_tr_t{color:var(--smtc-foreground-content-neutral-primary)}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock.rmoverlay{height:36px}.vsacf.vsasa .va_tt .vsb_tr_chd
.mc_vtvc_th_dock.rmoverlay{height:0}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock{height:92px;position:absolute;bottom:0;background:linear-gradient(180deg,var(--bing-smt
c-background-ctrl-fade-on-image-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-rest) 100%)}#serpvidans.vsacf
.va_tt a.vsb_tr_t{padding:0 0;font:var(--bing-smtc-text-global-body-2-alt-strong)}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc .mc_vtvc_meta,.vsacf .va_tt .vsb_tr_chd .mc_vtvc
.mc_vtvc_title{color:var(--mai-smtc-foreground-ctrl-on-image-rest)}.vsasa .va_tt .vsb_tr_chd .mc_vtvc_tot
.mc_vtvc_meta{padding:var(--smtc-gap-between-content-medium) var(--smtc-gap-between-content-x-small)
var(--smtc-gap-between-content-x-small);background:linear-gradient(180deg,var(--bing-smtc-background-ctrl
-fade-on-image-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-hover) 43%)}#serpvidans.vsacf
span.vcmt_ctt{font:var(--bing-smtc-text-global-caption2);margin:var(--smtc-gap-between-content-xx-small) 0
0;height:16px}#serpvidans.vsacf .vsb_tr_chd .mc_vtvc_tot .mc_vtvc_title
strong{font:var(--bing-smtc-text-global-caption1-strong);color:var(--mai-smtc-foreground-ctrl-on-image-rest)
}#serpvidans.vsacf .va_tt .b_slrdp
.slide:not(:first-child){margin-left:var(--smtc-gap-between-content-small)}#serpvidans.vsacf .va_tt
.vsb_tr_chd .mc_vtvc
.mc_vtvc_title{white-space:normal;display:-webkit-box;-webkit-line-clamp:1;-webkit-box-orient:vertical}.vsa
cf .b_title:not(:first-child):has(+div)
.mmtitle{font:var(--bing-smtc-text-global-body-2-alt-strong)}#serpvidans.vsacf .revqpm+.va_tt
.mm_vrc{padding-top:0}#serpvidans .va_tt .slide,#serpvidans .mc_vtvc_th,#serpvidans .mc_vtvc_th

```

How long should the fiber optic cable be pulled out of the cold connector

```
.cico{border-radius:var(--mai-smtc-corner-card-default)!important}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer
.b_CompactExpansion{background-color:var(--bing-smtc-background-ctrl-neutral-rest);display:flex;justify-content:center;align-items:center;gap:4px;width:fit-content;height:auto;padding:8px 12px}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion
.b_CompactExpansionBtnText{font:var(--bing-smtc-text-global-caption1-strong);color:var(--bing-smtc-foreground-content-brand-rest)}#serpvidans.vsacf .b_module_expansion_control .b_btnContainer
.b_CompactExpansion .b_arrow{display:flex;margin:0;height:auto}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion .b_arrow
path#Shape{fill:var(--bing-smtc-foreground-content-brand-rest)}#serpvidans.vsacf
.b_module_expansion_control
.b_btnContainer::after{content:"";position:absolute;width:100%;bottom:20px;left:0;height:1px;border-radius:1px;background:var(--smtc-stroke-ctrl-on-neutral-rest)}#b_results
.b_ans.b_vidAns{box-shadow:none;padding:12px 20px 0}#b_results .b_ans.b_vidAns
.vasac{padding:unset;margin:0}#b_results .b_ans.b_vidAns .vsa .b_attribution{padding-bottom:0}#b_results
.b_ans.b_vidAns .cardless .salink{margin:0}#b_results .b_ans.b_vidAns .mmlist
.mc_vtvc{margin-top:10px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px 12px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_channel{color:#111}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel,#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{color:#666}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{bottom:0;height:unset}.b_dark .vsa.cardless
.mc_vtvc{background-color:unset}.mmtitle>a{display:block}.mc_fh{height:100%;border-radius:6px}.mc_tc_
bs{overflow:hidden}#mc_cwvc_1779286667225 { width:356px; max-width: 100%; } .mc_vtvc
.mc_vtvc_meta { padding: 16px 16px 16px 16px; } .mc_vtvc .mc_vtvc_meta_w { height: 139px; margin-top: -0px; } .mc_vtvc .mc_vtvc_title { height: 54px; line-height: 18px; margin-bottom: 18px; margin-top: 0px; }
.mc_vtvc .mc_vtvc_meta_block_area { height: 35px; } .mc_vtvc .vtmu, .mc_vtvc .vtpl { bottom: 147px; }
.mc_vtvc_th_dock { height: 139px; } .mc_vtvc_th .cico { height: 200px; }
.mc_vtvc{background-color:var(--smtc-background-card-on-primary-default-rest);box-shadow:0 0 0 1px rgba(0,0,0,.05);line-height:0;margin:0;position:relative;border-radius:6px;overflow:hidden}.mc_vtvc.noshadow{box-shadow:none}.mc_vtvc_con_rc{border-radius:6px;overflow:hidden;position:relative}.mc_vtvc>a{color:#71777d;display:block;text-decoration:none;width:100%}.mc_vtvc>a:focus-visible::after{outline:2px solid var(--smtc-ctrl-focus-outer-stroke);width:100%;height:100%;content:"";outline-offset:-2px;position:absolute;top:0;left:0}.mc_vtvc_th{background-color:#d5d5d5;position:relative}.mc_vtvc_th
.cico{border-radius:0}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{position:absolute;vertical-align:middle}.mc_vtvc_ban_lo{bottom:0}.mc_vtvc_ban_up{top:0}.mc_vtvc_title{font-weight:normal;margin-bottom:11px;overflow:hidden;color:#111;height:calc(3*18px);line-height:18px}.mc_vtvc_title
a{display:inline-block;color:#111}.mc_vtvc_title
a:hover{text-decoration:underline}.mc_vtvc_src_ico{float:left;margin-right:4px}.mc_vtvc_act{height:16px;m
```

How long should the fiber optic cable be pulled out of the cold connector

```

argin-top:-40px;padding:12px
8px;z-index:1}.mc_vtvc_actc{right:16px;bottom:16px;position:absolute;display:inline-block;z-index:1}.mc_v
tvc_act_sep{border-top:1px          solid          #d5d5d5;height:40px;margin:0          8px}.mc_vtvc_fh
.mc_vtvc_act_sep,.mc_vtvc_fh          .mc_vtvc_act{visibility:hidden}#serpvidans
.b_topTitle{margin-bottom:8px}.mc_vtvc_htc{width:100%;height:100%;position:absolute;top:0;bottom:0;left
:0;right:0}.mc_vtvc_htb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:
0;left:0;right:0}.mc_vtvc_ht{width:100%;padding:0
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vert
ical-align:middle;text-align:center}.mc-vtvc_th_live_b{background-color:#c80000;color:#fff;display:inline-bl
ock;padding:2px          8px;font:11px/14px
Arial;border-radius:2px;text-transform:uppercase;height:15px;width:26px;position:absolute;left:8px;top:110p
x}.isvctrl          .isv
.mc_vtvc_ban_up{left:0;right:initial}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{right:0}.vt_text.b_lRight
.b_lLeft{margin:0          0          0          1px;height:14px;line-height:14px;padding:2px
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.mc_vthtb{width:100%;height:100%;bac
kground:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0;display:table}.mc_vtht{width:100%;pad
ding:0
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vert
ical-align:middle;text-align:center;display:table-cell}.vt_text.b_lRight          .b_lLeft{margin:0          0          0
1px;height:14px;line-height:14px;padding:2px
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.emptyStyleForDebuggingPurpose{top:0
}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_center_play{width:32px;height:32px;background-size:c
ontain;position:absolute;margin:auto;bottom:0;top:0;left:0;right:0;box-shadow:none;border-radius:0}.mc_vtvc
_center_play.rmvbg{width:32px;height:32px;background-image:none}.mc_vtvc_htb,.mc_vtvc_ht{display:no
ne}.vt_onhv          .mc_vtvc_htb{display:table}.vt_onhv
.mc_vtvc_ht{display:table-cell}.mc_vtvc_center_play{display:inline-block}.vt_onhv
.mc_vtvc_center_play{display:none}.mc_vtvc          .vtmu,.mc_vtvc          .vtpl{bottom:163px}.vsarf          .mc_vtvc
.vtmu,.vsarf          .mc_vtvc          .vtpl{bottom:122px}.svarh          #mmcar          .mc_vtvc          .vtmu,.svarh          #mmcar          .mc_vtvc
.vtpl{bottom:137px}.svarht          #mmcar          .mc_vtvc          .vtmu,.svarht          #mmcar          .mc_vtvc
.vtpl{top:8px;left:8px}.mc_vtvc_center_play{background-image:url(data:image/svg+xml,%3Csvg%20width
%3D%2232%22%20height%3D%2232%22%20viewBox%3D%220%200%2032%2032%22%20fill%3D%22
none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%20%20%20%20%3Cr
ect%20width%3D%2232%22%20height%3D%2232%22%20rx%3D%2216%22%20fill%3D%22black%22%
20fill-opacity%3D%220.6%22%2F%3E%0D%0A%20%20%20%20%3Cpath%20d%3D%22M14.2354%201
0.1923C13.2355%209.62986%2012%2010.3524%2012%2011.4997V20.5C12%2021.6472%2013.2355%202
2.3698%2014.2354%2021.8073L22.2356%2017.3073C23.2551%2016.7339%2023.2551%2015.2661%2022.
2357%2014.6926L14.2354%2010.1923Z%22%20fill%3D%22white%22%20fill-opacity%3D%220.9%22%2
F%3E%0D%0A%3C%2Fsvg%3E)}.mc_vtvc_meta{box-sizing:border-box;display:inline-block;line-height:18
px;position:relative;width:100%}.mc_vtvc_meta_block{bottom:0;position:absolute;width:100%}.mc_vtvc_m
eta_row{line-height:16px;font-size:11px;height:17px;overflow:hidden;text-overflow:ellipsis;white-space:now

```


How long should the fiber optic cable be pulled out of the cold connector

```

rap}.mc_vtvc_meta_row
a{display:inline-block}.mc_vtvc_meta_row
a:hover{text-decoration:underline}.mc_vtvc_meta_block_area{position:relative}.mc_vtvc_meta_block,.mc_v
vtvc_meta_block
a{color:#444}.b_dark
.mc_vtvc_meta_block{color:#edebe9}.mc_vtvc_meta_row>:nth-of-type(n+2)::before{content:"
"}.mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before{content:"
"}.mc_vtvc_kmt_title{line-height:18px;padding-bottom:4px;font-weight:bold;color:#00809d;text-transform:u
ppercase;font-size:11px}.mc_vtvc_kmt,.mc_vtvc_con_rc.onhov
.wkmt
.mc_vtvc_meta_row,.mc_vtvc_con_rc.onhov
.wkmt
.tibc_tt{display:none}.mc_vtvc_con_rc.onhov
.wkmt
.mc_vtvc_title{max-height:18px;margin-bottom:18px;overflow:hidden}.mc_vtvc_con_rc.onhov.mmsts
.mc_vtvc_title{visibility:hidden}.mc_vtvc_con_rc.onhov
.mc_vtvc_kmt{display:block}.mc_vtvc_kmt_content
.b_factrow{line-height:17px;font-size:11px;max-height:34px;overflow:hidden;text-overflow:ellipsis;padding:
0
16px
0
0;color:#444}.mc_vtvc_meta
.mc_vtvc_kmt_title{line-height:18px}.mc_vtvc_title:hover{text-decoration:none}.mc_vtvc_meta_pubdate{co
lor:#444;padding-bottom:3px}.mc_vtvc_meta_channel{color:#444}.mc_vtvc_meta_w,.mc_vplvc_meta_w{po
sition:relative}.mc_vtvc_meta_bg_w,.mc_vplvc_meta_bg_w{height:100%;width:100%;overflow:hidden;posit
ion:absolute;top:0}.mc_vtvc_meta_bg_w
.cico,.mc_vplvc_meta_bg_w
.cico{border-radius:0;overflow:visible}.dg_u
.mm_vidch_th_c{overflow:visible}.dg_u
.mm_vidch_th_bg
img{margin-top:-20px}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_meta_w
.mc_vtvc_meta{background:rgba(255,255,255,.75)}.mc_vtvc_meta_bg_w
img,.mc_vtvc_meta_bg_w
.mc_vtvc_cb_w{filter:blur(25px);transform:scale(1.2)}body{--video-metadata-channel-color:#3c3c3c}body.b
_dark{--video-metadata-channel-color:unset}.vsarf
.mc_vtvc_meta_pubdate{color:unset}.vsarf
.mc_vtvc_meta_channel{color:var(--video-metadata-channel-color)}.vsarf
.mc_vtvc
.mc_vtvc_meta_w
.mc_vtvc_title,.vsarf
.mc_vtvc
.mc_vtvc_meta_w
.mc_vtvc_title
strong{font-weight:bold}.vsarf
.mc_vtvc_meta_w
.mc_vtvc_meta_row{font-size:13px}.emptyStyleForDebuggingPurpose{top:0}.vsarf
.mc_vtvc_th
.cico{height:132px}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.empt
yStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurp
ose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.vtbc
.mv_vtvc_play{display:inline-block;position:absolute;bottom:8px;left:9px;height:8px;width:7px;background:
url(
MVEX////////////////////9/gMdvAAACnRSTIMAETNEVWaImbvuo4D1oAAAAB9JREFUCB
1jmMoABKuaQcSqQhCxKgFGgLhNQIkpQAwA8zkLyQA16F0AAAAASUVORK5CYII=)}.vtbc
.mv_vtvc_play_ext{background:url(/rp/Lp38sn_O4jegSK0IHxZVxyp-yKQ.png)
-172px
-31px;display:inline-block;height:8px;width:12px;position:absolute;bottom:8px;left:6px}.vtbc
.pivot{height:20px;width:8px;min-width:8px}.mc_bc_w{height:18px;padding:8px;text-align:right}.mc_bc{ba
ckground-color:rgba(0,0,0,.75);padding:2px
8px;line-height:14px;color:#fff;display:inline-block;vertical-align:middle;border-radius:2px;font-weight:bold}
.mc_bc_w
.pivot{text-align:center;margin-right:1px;height:14px}.vsarr
.mmgrid
.mc_bc_w
.mc_bc{background-color:rgba(0,0,0,.75);opacity:1}.mmsi{height:16px;width:16px;position:relative;top:5px;

```

How long should the fiber optic cable be pulled out of the cold connector

```
padding-right:var(--smtc-gap-between-content-xx-small)}.mmsi-microsoftnews,.mmsi-msn{top:3px}.vrhdata
{display:none}.vrhc.inline.nhvpv .pffvi,.vrhc.inline.nhvpv[data-tps="S"]
.pffvt,.vrhc.inline.nhvpv[data-tps="M"] .pffvt,.vrhc.inline.nhvpv[data-tps="L"]
.pffvt{display:inline-flex}.vrhc.inline.nhvpv .vrhc.pffv .vrhol{display:none}.vrhc.inline.nhvpv .vrhc.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.mc_vtvc_th img{transition:all
var(--smtc-duration-medium-01) var(--bing-smtc-animation-ease-default)}.nhvpv+.mc_vtvc_th
img{transform:scale(1.1)}.smtplayerhtml5{height:100%;width:100%;overflow:hidden}.smtplayerhtml5
video{min-height:100%;min-width:100%}.smtplayerhtml5
.videoplaying{background-color:#000}.smtplayerhtml5.hide{display:none}.pffvt{display:none;color:var(--ma
i-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-subtitle2-strong)}.pffvi{mask:url(/rp/ui
07wU6K7FR_inzG7DRbP1i8fGo.svg) center
no-repeat;mask-size:12px;background:var(--bing-smtc-background-card-on-image-default);width:20px;height
:20px;flex-shrink:0;align-self:flex-start}[data-tps="L"]
.pffvt{font:var(--bing-smtc-text-global-subtitle2-strong)}[data-tps="L"]
.pffvi{width:22px;height:22px;mask-size:16px}[data-tps="S"] .pffvt{font-size:0}[data-tps="S"]
.pffvi{width:24px;height:24px;mask-size:24px;align-self:center}.hvpv.h5s
.pffvt{display:inline-flex}.hvpv.h5s .vrhc.pffv .vrhol{display:none}.hvpv.h5s .vrhc.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.pffvt{text-decoration:underline}.vrhc
.vrhol{position:absolute;width:100%;height:35px;max-height:35px;bottom:0;left:0;padding:0;background:non
e;display:block;z-index:9}.vrhcp .vrhol.hide,.vrhcp .vrhol
.hide{display:none}.vrhot{white-space:nowrap;text-overflow:ellipsis;overflow:hidden;display:inline-block;po
sition:absolute;max-width:240px;height:18px;line-height:14px;margin-left:8px;top:10px;left:0;right:0;border-
radius:2px;padding-right:8px}.vrhot
div{display:inline-block}.vrhot.cont{color:#fff;font-size:11px;font-weight:bold;background-color:rgba(0,0,0,.
75);padding:2px 8px;margin-left:0;top:0;box-sizing:border-box;position:relative}.vrhc
.ricons{position:absolute;right:8px;top:10px;left:auto;bottom:auto;height:18px;display:inline-block;cursor:poi
nter}.vrhol.icons_1 .vrhot{margin-right:27px}.vrhol.icons_2 .vrhot{margin-right:49px}.vrhol.icons_3
.vrhot{margin-right:79px}.vrhol .vrhot.cont,.vsb_tr_chd .vrhol.icons_1
.vrhot{margin-right:0}.vpb{position:absolute;display:block;bottom:0;left:0;height:4px}.vpb
div{position:absolute}.vpb.cont{width:0;background:#fff}.vpb.cont.test{display:none}.vpb.back{background
-color:#999}.vrhcp .vrhol.npb{height:36px;max-height:36px}.vrhol
.vadda{width:22px;height:18px;padding:0;margin-right:0;margin-left:2px;bottom:0;position:relative;display:i
nline-block;z-index:1;background:rgba(0,0,0,.75);border-radius:2px;overflow:hidden}.vrhol
.vadda.hide{display:none}.vrhol .vadda .mc_vfaa{margin:3px 5px}.ricons .vol{float:left}.ricons
.adultFlag{float:right}.vol{width:22px;height:18px;bottom:0;margin-left:1px;margin-right:1px;position:relati
ve;display:inline-block}.vol.hide,.vol .hide{display:none}.vol
```


How long should the fiber optic cable be pulled out of the cold connector

```
.bg{background:rgba(0,0,0,.75);border-radius:2px}.vol.bg,.vol.cont{position:absolute;bottom:0}.vol
.vol.bg.volnb{border-radius:0 0 2px 2px}.vol .volsliderHandle.bg{border-radius:2px 2px 0 0}.vol.cont
.volsliderHandle{height:70px;display:none;width:22px;float:left;bottom:18px;position:absolute;display:block
}.vol.cont
.volsliderHandle.hide{display:none}.volsliderHandle
.vsb{height:54px;width:4px;background-color:#999;margin:9px
auto
8px;position:relative;display:block;border-radius:2px}.volsliderHandle
.vsh{height:6px;width:14px;padding:9px
7px
9px
7px;margin:0
-12px;display:block;position:absolute;top:30px}.volsliderHandle
.vsh.hide{display:none}.volsliderHandle
.vshi{height:4px;width:14px;background-color:#fff;border-radius:2px}.volMuteIcon{width:16px;height:14px;
margin:2px
4px;float:left}.volMuteHandle{width:22px;height:18px}.vo{background:url(/rp/ffZxBXEIP9WYOO0jhTaEl
yLhEVU.svg)
no-repeat}.vm{background:url(/rp/fsX-ZVd03wB2TL0vmQJxSp4U9vs.svg)
no-repeat}.vl{background:url(/rp/YXYMPC1Rry_XJGc7Yg8lR4B2eEs.svg)
no-repeat}.vf{background:url(/rp/NosrlR4amKTs1zYxWy3laZN3HRk.svg)
no-repeat}@media(forced-colors:active){.vol{forced-color-adjust:none}}.vrhc.inline
.vt_vp,.vrhc.popout
.vt_vp,.vrhc.mousefollow
.vt_vp{position:absolute;bottom:0;border:hidden;padding:0;top:0;left:0;z-index:3}.vrhtc
.hide{display:none}.vrh_clc
.vt_vp,.vrh_clc
.vrhtc
.vrhi,.vrh_clc
.player_ol{cursor:pointer}.vrh_clc
.cico{border-radius:0}.vrhtc{border:hidden;top:0;left:0;padding:0}.vrhc.mousefollow
.vrhtc,.vrhc.popout
.vrhtc{background-color:#999}.vrhtpc.load
.player_ol{background:url(/rp/J_o2maogFDeUOsovPJL-ofEuxJ4.gif)
center
center
no-repeat}.vrhc.inline
.vrhtc
.vrhi,.vrhc.popout
.vrhtc
.vrhi,.vrhc.mousefollow
.vrhtc
.vrhi{position:absolute!important;border:hidden;z-index:2;padding:0;left:0;top:0}.player_ol{position:absolute
;width:100%;height:100%;bottom:0;border:hidden;z-index:7}.vrhc.popout,.vrhc.inline,.vrhc.mousefollow{bor
der-radius:6px;overflow:hidden;display:table-row-group;background:none}.vrhc.popout,.vrhc.mousefollow{z
-index:4;box-shadow:0
4px
4px
rgba(0,0,0,.1),0
2px
80px
rgba(0,0,0,.2)}.vrhc.inline{z-index:1;margin:0}.vrhc.popout,.vrhc.inline{position:absolute;top:0}.vrhc.popout
{border:1px
solid
#fff}.vrhc.mousefollow{position:fixed}.vrhcp{position:relative;top:0;left:0;display:table-row}.vrhcp
.vrhtc{position:relative;overflow:hidden}.vrhc.hide{display:none}@keyframes
vh_fadein{from{opacity:0}to{opacity:1}}.vrhc.not(.hide){animation:vh_fadein
250ms}.vrhc.inline
img{color:transparent}.vrhc.inline.fullsize{height:100%}.vrhc,.vrhc: hover,.vrhc: link,.vrhc: active,.vrhc: visited
{color:#000;text-decoration:none}.vrhc.vrh_clc{cursor:pointer}a.hover-anchor{display:block;height:100%;wi
dth:100%;text-decoration:none}.vrhstat{height:0;overflow:hidden}.mmlist
.mc_vtvc
.mc_vtvc_meta {
padding: 12px 16px 16px 16px; }
.mmlist .mc_vtvc .mc_vtvc_meta_w { height: 112px; margin-top: -0px; }
.mmlist .mc_vtvc .mc_vtvc_title { height: 44px; line-height: 22px; margin-bottom: 0px; margin-top: 0px; }
.mmlist .mc_vtvc .mc_vtvc_meta_block_area { height: 40px; }
.mmlist .mc_vtvc .vtmu, .mmlist .mc_vtvc
.vtpl { bottom: 120px; }
.mmlist .mc_vtvc_th_dock { height: 112px; }
.mmlist .mc_vtvc_th .cico { height:
131px; }
.mmlist .mc_vtvc{margin:10px 1px 0}.mmlist .mc_vtvc_con_rc{display:flex}.cardless .mmlist
.mc_vtvc_con_rc{height:112px}.mmlist
.mc_vtvc
```

How long should the fiber optic cable be pulled out of the cold connector

```
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px 12px;padding:0}.mmlist
.mc_vtvc_title{font-weight:400;font-size:16px;height:44px;line-height:22px;margin-bottom:0;margin-top:0;color:unset}.mmlist
.mc_vtvc_meta_row{font-size:13px}.mmlist
.mc_vtvc_meta_block_area{height:unset}.mmlist
.mc_vtvc_vtmu,.mmlist
.mc_vtvc_vtpl{bottom:8px}.cardless
.mc_vtvc{box-shadow:none}.cardless.mmlist
.mc_vtvc_center_play{width:32px;height:32px}.cardless.mmlist
.mc_vtvc_title{font-size:16px;color:unset}.cardless.mmlist
.mc_vtvc_meta_row{line-height:20px}.cardless.mmlist
.mc_vtvc_meta_pubdate{padding-bottom:2px;color:#666}.cardless.mmlist
.mc_vtvc_th_cico,.cardless.mmlist
.mc_vtvc_th_div.rms_img{border-radius:6px}.cardless.mmlist
.mc_vtvc_th{height:111px}.cardless.mmlist
.mc_vtvc_htc{border-radius:6px;overflow:hidden}#serpvidans.vasac.cardless{box-shadow:none}.cardless.mmlist
.mc_bc{padding:2px 8px;line-height:14px;border-radius:2px;font-weight:normal}.mmlist
.mc_vtvc: hover
.mc_vtvc_title{text-decoration:underline}.mmgrid>div{width:197px;display:inline-block;margin-right:8px;margin-bottom:8px;box-shadow:0 0 1px rgba(0,0,0,.05);position:relative;vertical-align:top;overflow:hidden;white-space:normal;border-radius:6px}.vsarr
.mmgrid>div,.vsarr1stbig
.mmgrid>div{margin-right:8px;margin-bottom:8px}#serpvidansrr
.mc_vtvc_meta{height:auto}#serpvidansrr
.mc_vtvc_title{display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}.mmgrid
.mc_tc{border:0}.vsa
.mmgrid>div:nth-child(3n){margin-right:0}.vsa
.b_moreLink{padding-top:4px}#serpvidansrr
.mc_vtvc_meta_row{line-height:18px;font-size:100%;height:17px}.vsarr
.mmgrid>div:nth-child(2n){margin-right:0}#serpvidansrr
.mc_vtvc_vtmu,#serpvidansrr
.mc_vtvc_vtpl{bottom:128px}.vsarr1stbig
.mmgrid>div:nth-child(2){margin-right:0}#serpvidansrr.uipolish
.mc_vtvc_meta_pubdate,#serpvidansrr.uipolish
.mc_vtvc_meta_channel,#serpvidansrr.uipolish
#vidans2
.b_videocard
.video_metadata
.video_source{color:#767676}#serpvidansrr
#vidans2
.b_videocard
.video_metadata_container,#serpvidansrr
#vidans2
.b_videocard
.video_metadata_container
.video_metadata>h3{width:100%}@media(max-width:1362.9px){#serpvidansrr
.mmgrid>div{width:168px;height:206px}#serpvidansrr
.mmgrid>div.cico,#serpvidansrr
.mmgrid>div.cico
.rms_img{width:168px;height:100px}#serpvidansrr
.mc_vtvc
.mc_vtvc_meta{padding:12px}#serpvidansrr
.mc_vtvc
.mc_vtvc_title{height:32px;line-height:16px;margin-bottom:16px}#serpvidansrr
.mc_vtvc
.mc_vtvc_meta_block_area{height:34px}#serpvidansrr
.mc_vtvc_meta_row{line-height:15px;font-size:13px;height:15px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:4px}#serpvidansrr
.mc_vtvc_vtmu,#serpvidansrr
.mc_vtvc_vtpl{bottom:114px}#serpvidansrr
#vidans2
.b_videocard
.videoPlayer,#serpvidansrr
#vidans2
.b_videocard
.videoPlayer
.cico,#serpvidansrr
#vidans2
.b_videocard
.videoPlayer
.cico
.rms_img{width:343px!important;height:194px!important;margin-right:0} @media(max-width:1274.9px){#serpvidansrr
.mmgrid>div{width:124px;height:164px}#serpvidansrr
.mmgrid>div.cico,#serpvidansrr
```

How long should the fiber optic cable be pulled out of the cold connector

```
.mmgrid>div .cico .rms_img{width:124px;height:76px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{padding:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_title{height:32px;line-height:16px;margin-bottom:12px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:28px}#serpvidansrr
.mc_vtvc_meta_row{line-height:13px;font-size:11px;height:13px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:2px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:96px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:256px!important;height:144px!important;margin-right:0}#serpvidansrr .maskthumb
.mc_bc_w{padding:8px 4px 4px 8px}#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(1),#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(2){margin-bottom:24px}#serpvidansrr.withsplitline .mmgrid{border-bottom:1px
solid #ececec;margin-bottom:16px}#serpvidansrr #vidans2 .b_videocard
.video_metadata{max-width:auto;padding:12px 16px}#serpvidansrr #vidans2
.b_videocard{margin-bottom:12px;box-shadow:0 0 1px rgba(0,0,0,.05),0 2px 3px
rgba(0,0,0,.1);border-radius:6px}#serpvidansrr .b_rich{padding-top:0}#serpvidansrr #vidans2
.videoPlayer{border-radius:6px 6px 0 0;overflow:hidden}#serpvidansrr #vidans2 .b_videocard
.video_metadata>h3{white-space:nowrap;overflow:hidden;text-overflow:ellipsis;-webkit-line-clamp:1;line-he
ight:15px;height:15px;font-size:13px;color:#000;margin-bottom:20px;font-family:var(--bing-smtc-text-style-d
efault-regular-font-family);font-style:normal;display:block}#serpvidansrr.vsarr1stbig #vidans2 .b_videocard
.video_metadata .actionmenu{display:none}#serpvidansrr #vidans2 .b_videocard
.video_summary,#serpvidansrr #vidans2 .b_videocard .video_source{line-height:15px}#serpvidansrr #vidans2
.b_videocard .videoPlayer .vtbc{right:0}Videos of How Long Should The Fiber Optic Cable Be Pulled Out of
ThVideos of How Long Should The Fiber Optic Cable Be Pulled Out of ThWatch video12:53Pulling
Installation of Fiber Optic CableYouTubeCorning Optical Communications31.2K viewsDec 12, 2023Watch
full videomore videosWatch video1:26Pulling Optical Fiber - Best
PracticesYouTubeCleerlineTechnology6.2K viewsApr 18, 2023Watch video2:44Pulling Fiber Data Cabling -
Eagle Eye or Loop Prep Tutorial - Training for BridgeCable.com | NJYouTubeBridge Cable21.9K viewsJul
29, 2022Watch video1:02How we pull fiber optic cable through 3000ft of underground ductYouTubeMatthew
James4K views9 months agoWatch full video.b_imgcap_altitle p strong,.b_imgcap_altitle .b_factrow
strong{color:#767676}#b_results
.b_imgcap_altitle{line-height:22px}.b_imgcap_altitle{display:flex;flex-direction:row-reverse;gap:var(--smtc-
padding-content-medium)}.b_imgcap_altitle
.b_imgcap_img{flex-shrink:0;display:flex;flex-direction:column}.b_imgcap_altitle
.b_imgcap_main{min-width:0;flex:1}.b_imgcap_altitle .b_imgcap_img>div,.b_imgcap_altitle .b_imgcap_img
a{display:flex}.b_imgcap_altitle .b_imgcap_img
img{border-radius:var(--mai-smtc-corner-card-default)}.b_hList img{display:block}.b_imagePair .inner
img{display:block;border-radius:6px}.b_algo .vtv2 img{border-radius:0}.b_hList
.cico{margin-bottom:10px}.b_title .b_imagePair>.inner,.b_vList>li>.b_imagePair>.inner,.b_hList
.b_imagePair>.inner,.b_vPanel>div>.b_imagePair>.inner,.b_gridList .b_imagePair>.inner,.b_caption
```

How long should the fiber optic cable be pulled out of the cold connector

```
.b_imagePair>.inner,.b_imagePair>.inner>.b_footnote,.b_poleContent
.b_imagePair>.inner{padding-bottom:0}.b_imagePair>.inner{padding-bottom:10px;float:left}.b_imagePair.reverse>.inner{float:right}.b_imagePair.b_imagePair:last-child:after{clear:none}.b_algo.b_title
.b_imagePair{display:block}.b_imagePair.b_cTxtWithImg>*>{vertical-align:middle;display:inline-block}.b_imagePair.b_cTxtWithImg>.inner{float:none;padding-right:10px}.b_imagePair.square_s>.inner{width:50px}.b_imagePair.square_s{padding-left:60px}.b_imagePair.square_s>.inner{margin:2px 0 0 -60px}.b_imagePair.square_s.reverse{padding-left:0;padding-right:60px}.b_imagePair.square_s.reverse>.inner{margin:2px -60px 0 0}.b_ci_image_overlay:hover{cursor:pointer}.insightsOverlay,#OverlayIFrame.b_mcOverlay.insightsOverlay{position:fixed;top:5%;left:5%;bottom:5%;right:5%;width:90%;height:90%;border:0;border-radius:15px;margin:0;padding:0;overflow:hidden;z-index:9;display:none}#OverlayMask,#OverlayMask.b_mcOverlay{z-index:8;background-color:#000;opacity:.6;position:fixed;top:0;left:0;width:100%;height:100%}The Fiber Optic AssociationThe FOA Reference For Fiber Optics-Installing Fiber Check the cable length to make sure the cable being pulled is long enough for the run to prevent having to splice fiber and provide special protection for the splices.
```

Web: <https://www.morwarreconst.co.za>

