

What is the purpose of the optical sensor module in a microcontroller

Preview

Optical sensors are essential in systems that require light detection for measurement, control, or triggering actions. They are available in different types, such as photodiodes, phototransistors, and light-dependent resistors (LDRs), each suited for specific use cases. Mainly, it combines the infrared light-emitting diode (LED) and a phototransistor. an optocoupler of a closed pair configuration is enclosed in the dark resin and is used to transfer signals using light. The semiconductor development from 1940 to the 1950s led to compact, less costly, and efficient light-sensing devices like optical. An optical sensor is a device that detects light and converts it into an electrical signal. Holtek has released a 32-bit Arm Cortex-M0+ Optical Module DDM MCUs, the HT32F52234 and HT32F52244.

Azure Virtual Desktop has become a popular cloud VDI platform to run desktops and apps in the cloud and deliver

Our 2026 guide decodes coin cell battery sizes and codes like CR2032. Match chemistry (C, L, S) and dimensions (e.g., 20mm x 3.2mm) to find

Optical Sensor Working PrincipleTypes of Optical SensorsOptical Sensor Circuit DiagramOptical Sensor with ArduinoAdvantages and DisadvantagesApplications of Optical SensorsOptical sensors have the capacity to detect light usually at an exact electromagnetic spectra range like visible, infrared, and ultraviolet. This sensor simply detects the polarization of light, wavelength, or frequency and changes it into an electric signal because of the photoelectric effect. An optical sensor's detecting principle mainly depends...See more on watelectronics.com#b_results .b_vidAns{border-radius:6px;box-shadow:0 0 0 1px rgba(0,0,0,.05);padding:16px 20px;gap:10px;background:#fff}@charset "UTF-8";#b_results .b_ans.b_vidAns{box-shadow:none!important;padding:var(--smtc-gap-between-content-medium) 0!important;background:var(--bing-smtc-background-ctrl-fade-on-image-stop-0)}#b_results #serpvidans.vsacf .mc_vtvc,#b_results #serpvidans.vsacf .mc_vtvc_th,#b_results #serpvidans.vsacf .cico,#b_results #serpvidans.vsacf .mc_vtvc_htb,#b_results #serpvidans.vsacf .vrhc,#b_results #serpvidans.vsacf .vrhcp,#b_results #serpvidans.vsacf .vrhtc,#b_results #serpvidans.vsacf .vrhtpc{border-radius:var(--mai-smtc-corner-card-default)}#b_results #serpvidans.vsacf .mmlist .mc_vtvc,#b_results #serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta{margin:0}#b_results #serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_channel,#b_results #serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_row_channel{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf,#serpvidans.vsacf .expctn .expbody,#serpvidans.vsacf .mmlist{display:flex;flex-direction:column;gap:var(--smtc-gap-between-content-medium)}#serpvidans.vsacf

What is the purpose of the optical sensor module in a microcontroller

```
.cico{height:auto}#serpvidans.vsacf .mc_vtvc_ban_lo{top:0;right:auto}#serpvidans.vsacf .mc_cwvc .mc_vtvc
.mc_vtvc_meta,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta{height:auto;padding:var(--smtc-gap-between-content-xx-small) 0
var(--smtc-gap-between-content-xx-small)
var(--smtc-gap-between-content-medium);display:flex;flex-direction:column;justify-content:space-between}#
serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_title,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta
.mc_vtvc_title{color:var(--smtc-ctrl-link-foreground-brand-rest);font:var(--bing-smtc-text-global-body2);heig
ht:auto;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}#serpvidans.vsacf .mc_cwvc
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block{display:flex;flex-direction:column;gap:var(--smtc-padding-ctrl-text-side)}#serpvidans.
vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row{color:var(--smtc-foreground-content-neutral-primary);height:var(--mai-smtc-padding-car
d-default);font:var(--bing-smtc-text-global-caption1)}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before{content:" . "}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block
.mc_vtvc_meta_pubdate{color:var(--bing-smtc-foreground-content-neutral-tertiary);padding-bottom:0}.vsacf
.mc_cwvc .mc_vtvc_con_rc,.vsacf .mmlist .mc_vtvc_con_rc{display:flex}.vsacf .mc_cwvc .mc_vtvc_con_rc
.mc_vtvc_meta_w,.vsacf .mmlist .mc_vtvc_con_rc .mc_vtvc_meta_w{height:auto}#serpvidans.vsacf.vsasa
.vsb_tr_c .vsb_tr_t,#serpvidans.vsacf:not(.vsasa)
.b_title{display:none}#serpvidans.vsacf:not(.vsasa)>.b_title:first-child,#serpvidans.vsacf:not(.vsasa)
.expbody>.b_title:first-child,#serpvidans.vsacf:not(.vsasa)>#ans_ss_dlg+.b_title,#serpvidans.vsacf:not(.vsasa)
.expbody>#ans_ss_dlg+.b_title{display:block}.vsacf .b_title{padding-left:0}.vsacf .b_title
.mmtitle{font:var(--bing-smtc-text-global-subtitle1-strong);margin-bottom:0}.vsacf .b_title .mmtitle
a::after{content:"";margin:5px 5px 0 0;border-top:2px solid
var(--smtc-foreground-content-neutral-primary);border-right:2px solid
var(--smtc-foreground-content-neutral-primary);background-size:7px
```

What is the purpose of the optical sensor module in a microcontroller

```

7px;width:7px;height:7px;transform:rotate(45deg);display:inline-block;margin-left:4px}#serpvidans.vsacf
.b_title .mmtitle{margin-bottom:0}#serpvidans.vsacf .b_title .mmtitle
a{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf .cardless.mmmlist
.mc_vtvc_con_rc,#serpvidans.vsacf .cardless.mmmlist .mc_vtvc_th{height:auto}#serpvidans.vsacf
.vsb_tr_c.va_tt{margin:0}#serpvidans.vsacf .vtbc .mv_vtvc_play,#serpvidans.vsacf .vtbc
.mv_vtvc_play_ext{position:static}#serpvidans.vsacf .va_tt
.mc_vtvc_ban_lo{display:block}#serpvidans.vsacf
.mc_bc{width:auto;border-radius:var(--smtc-ctrl-badge-sm-corner);padding:var(--smtc-padding-ctrl-text-side)
var(--smtc-gap-between-content-xx-small)}#serpvidans.vsacf .rmts
.mc_bc.items{display:none}#serpvidans.vsacf
a.vsb_tr_t{color:var(--smtc-foreground-content-neutral-primary)}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock.rmoverlay{height:36px}.vsacf.vsa .va_tt .vsb_tr_chd
.mc_vtvc_th_dock.rmoverlay{height:0}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock{height:92px;position:absolute;bottom:0;background:linear-gradient(180deg,var(--bing-smt
c-background-ctrl-fade-on-image-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-rest) 100%)}#serpvidans.vsacf
.va_tt a.vsb_tr_t{padding:0 0;font:var(--bing-smtc-text-global-body-2-alt-strong)}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc .mc_vtvc_meta,.vsacf .va_tt .vsb_tr_chd .mc_vtvc
.mc_vtvc_title{color:var(--mai-smtc-foreground-ctrl-on-image-rest)}.vsacf .va_tt .vsb_tr_chd .mc_vtvc_tot
.mc_vtvc_meta{padding:var(--smtc-gap-between-content-medium) var(--smtc-gap-between-content-x-small)
var(--smtc-gap-between-content-x-small);background:linear-gradient(180deg,var(--bing-smtc-background-ctrl
-fade-on-image-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-hover) 43%)}#serpvidans.vsacf
span.vcmt_ctt{font:var(--bing-smtc-text-global-caption2);margin:var(--smtc-gap-between-content-xx-small) 0
0;height:16px}#serpvidans.vsacf .vsb_tr_chd .mc_vtvc_tot .mc_vtvc_title
strong{font:var(--bing-smtc-text-global-caption1-strong);color:var(--mai-smtc-foreground-ctrl-on-image-rest)
}#serpvidans.vsacf .va_tt .b_sldrp
.slide:not(:first-child){margin-left:var(--smtc-gap-between-content-small)}#serpvidans.vsacf .va_tt
.vsb_tr_chd .mc_vtvc
.mc_vtvc_title{white-space:normal;display:-webkit-box;-webkit-line-clamp:1;-webkit-box-orient:vertical}.vsa
cf .b_title:not(:first-child):has(+div)
.mmtitle{font:var(--bing-smtc-text-global-body-2-alt-strong)}#serpvidans.vsacf .revqpm+.va_tt
.mm_vrc{padding-top:0}#serpvidans .va_tt .slide,#serpvidans .mc_vtvc_th,#serpvidans .mc_vtvc_th
.cico{border-radius:var(--mai-smtc-corner-card-default)!important}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer
.b_CompactExpansion{background-color:var(--bing-smtc-background-ctrl-neutral-rest);display:flex;justify-co
ntent:center;align-items:center;gap:4px;width:fit-content;height:auto;padding:8px 12px}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion
.b_CompactExpansionBtnText{font:var(--bing-smtc-text-global-caption1-strong);color:var(--bing-smtc-foregr
ound-content-brand-rest)}#serpvidans.vsacf .b_module_expansion_control .b_btnContainer
.b_CompactExpansion .b_arrow{display:flex;margin:0;height:auto}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion .b_arrow

```

What is the purpose of the optical sensor module in a microcontroller

```

path#Shape{fill:var(--bing-smtc-foreground-content-brand-rest)}#serpvidans.vsa cf
.b_module_expansion_control
.b_btnContainer::after{content:"";position:absolute;width:100%;bottom:20px;left:0;height:1px;border-radius:
1px;background:var(--smtc-stroke-ctrl-on-neutral-rest)}#b_results
.b_ans.b_vidAns{box-shadow:none;padding:12px 20px 0}#b_results .b_ans.b_vidAns
.vasac{padding:unset;margin:0}#b_results .b_ans.b_vidAns .vsa .b_attribution{padding-bottom:0}#b_results
.b_ans.b_vidAns .cardless .salink{margin:0}#b_results .b_ans.b_vidAns .mmlist
.mc_vtvc{margin-top:10px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px
12px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_channel{color:#111}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel,#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{color:#666}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{bottom:0;height:unset}.b_dark .vsa.cardless
.mc_vtvc{background-color:unset}.b_CompactExpandText{display:inline}#serpvidans
.b_module_expansion_control{padding-bottom:0}#serpvidans .b_module_expansion_control
.b_CompactExpansion{height:40px;line-height:40px;bottom:-6px;padding-left:20px;padding-right:20px;bord
er-radius:20px;z-index:6}#serpvidans .b_module_expansion_control
.b_CompactExpansionBtnText{line-height:40px}#serpvidans .b_title .b_topTitle,#serpvidans .mc_vtvc
.mc_vtvc_title{margin-bottom:0}#serpvidans
.mc_vtvc_meta_pubdate{padding-bottom:0}#serpvidans{position:relative;--va-exbody-padding:0 0
24px;--va-ptop:0px;--va-pbop:0px}#serpvidans
.exbody{overflow-x:visible!important;overflow-y:clip!important;box-sizing:border-box;padding:var(--va-ex
body-padding)}#serpvidans.ssize .exbody{max-height:calc(375px - var(--va-ptop) -
var(--va-pbop))}#serpvidans.msize .exbody{max-height:calc(535px - var(--va-ptop) -
var(--va-pbop))}#serpvidans.lsize .exbody{min-height:536px}#serpvidans .b_removeShadow
.exbody{max-height:unset}#serpvidans .b_removeShadow .exbody .grad,#serpvidans .b_removeShadow
.exbody .expept{display:none}#b_results
.b_ans.b_vidAns{--va-ptop:16px;--va-pbop:0px;--va-pleft:20px;--va-pright:20px;border-radius:6px;box-shado
w:0 0 0 1px rgba(0,0,0,.05);padding:var(--va-ptop) var(--va-pright) var(--va-pbop)
var(--va-pleft);margin-bottom:30px;gap:10px}#b_results .b_ans.b_vidAns .b_moreLink{padding:9px 0 0
0}.mmltitle>a{display:block}.mc_fh{height:100%;border-radius:6px}.mc_tc_bs{overflow:hidden}.mmlist
.mc_vtvc .mc_vtvc_meta { padding: 12px 16px 16px 16px; } .mmlist .mc_vtvc .mc_vtvc_meta_w { height:
112px; margin-top: -0px; } .mmlist .mc_vtvc .mc_vtvc_title { height: 44px; line-height: 22px; margin-bottom:
0px; margin-top: 0px; } .mmlist .mc_vtvc .mc_vtvc_meta_block_area { height: 40px; } .mmlist .mc_vtvc
.vtmu, .mmlist .mc_vtvc .vtpl { bottom: 120px; } .mmlist .mc_vtvc_th_dock { height: 112px; } .mmlist
.mc_vtvc_th .cico { height: 131px; }
.mc_vtvc{background-color:var(--smtc-background-card-on-primary-default-rest);box-shadow:0 0 0 1px
rgba(0,0,0,.05);line-height:0;margin:0;position:relative;border-radius:6px;overflow:hidden}.mc_vtvc.noshado
w{box-shadow:none}.mc_vtvc_con_rc{border-radius:6px;overflow:hidden;position:relative}.mc_vtvc>a{colo

```

What is the purpose of the optical sensor module in a microcontroller

```

r:#71777d;display:block;text-decoration:none;width:100%}.mc_vtvc>a:focus-visible::after{outline:2px solid
var(--smtc-ctrl-focus-outer-stroke);width:100%;height:100%;content:";outline-offset:-2px;position:absolute;top
p:0;left:0}.mc_vtvc_th{background-color:#d5d5d5;position:relative}.mc_vtvc_th
.cico{border-radius:0}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{position:absolute;vertical-align:middle}.mc_vtvc_
ban_lo{bottom:0}.mc_vtvc_ban_up{top:0}.mc_vtvc_title{font-weight:normal;margin-bottom:11px;overflow:
hidden;color:#111;height:calc(3*18px);line-height:18px}.mc_vtvc_title
a{display:inline-block;color:#111}.mc_vtvc_title
a:hover{text-decoration:underline}.mc_vtvc_src_ico{float:left;margin-right:4px}.mc_vtvc_act{height:16px;m
argin-top:-40px;padding:12px
8px;z-index:1}.mc_vtvc_actc{right:16px;bottom:16px;position:absolute;display:inline-block;z-index:1}.mc_v
tvc_act_sep{border-top:1px solid #d5d5d5;height:40px;margin:0 8px}.mc_vtvc_fh
.mc_vtvc_act_sep,.mc_vtvc_fh
.mc_vtvc_act{visibility:hidden}#serpvians
.b_topTitle{margin-bottom:8px}.mc_vtvc_htc{width:100%;height:100%;position:absolute;top:0;bottom:0;left
:0;right:0}.mc_vtvc_htb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:
0;left:0;right:0}.mc_vtvc_ht{width:100%;padding:0
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vert
ical-align:middle;text-align:center}.mc_vtvc_th_live_b{background-color:#c80000;color:#fff;display:inline-bl
ock;padding:2px 8px;font:11px/14px
Arial;border-radius:2px;text-transform:uppercase;height:15px;width:26px;position:absolute;left:8px;top:110p
x}.isvctrl
.isv
.mc_vtvc_ban_up{left:0;right:initial}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{right:0}.vt_text.b_lRight
.b_lLeft{margin:0 0 0 1px;height:14px;line-height:14px;padding:2px
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.mc_vthtb{width:100%;height:100%;bac
kground:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0;display:table}.mc_vtht{width:100%;pad
ding:0
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vert
ical-align:middle;text-align:center;display:table-cell}.vt_text.b_lRight .b_lLeft{margin:0 0 0
1px;height:14px;line-height:14px;padding:2px
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.emptyStyleForDebuggingPurpose{top:0
}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_center_play{width:32px;height:32px;background-size:c
ontain;position:absolute;margin:auto;bottom:0;top:0;left:0;right:0;box-shadow:none;border-radius:0}.mc_vtvc
_center_play.rmvbg{width:32px;height:32px;background-image:none}.mc_vtvc_htb,.mc_vtvc_ht{display:no
ne}.vt_onhv
.mc_vtvc_htb{display:table}.vt_onhv
.mc_vtvc_ht{display:table-cell}.mc_vtvc_center_play{display:inline-block}.vt_onhv
.mc_vtvc_center_play{display:none}.mc_vtvc .vtmu,.mc_vtvc .vtpl{bottom:163px}.vsarf .mc_vtvc
.vtmu,.vsarf .mc_vtvc .vtpl{bottom:122px}.svarh #mmcar .mc_vtvc .vtmu,.svarh #mmcar .mc_vtvc
.vtpl{bottom:137px}.svarht #mmcar .mc_vtvc .vtmu,.svarht #mmcar .mc_vtvc
.vtpl{top:8px;left:8px}.mc_vtvc_center_play{background-image:url(data:image/svg+xml,%3Csvg%20width
%3D%2232%22%20height%3D%2232%22%20viewBox%3D%220%200%2032%2032%22%20fill%3D%22
none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%20%20%20%20%3Cr

```

What is the purpose of the optical sensor module in a microcontroller

```
ect%20width%3D%2232%22%20height%3D%2232%22%20rx%3D%2216%22%20fill%3D%22black%22%
20fill-opacity%3D%220.6%22%2F%3E%0D%0A%20%20%20%20%3Cpath%20d%3D%22M14.2354%201
0.1923C13.2355%209.62986%2012%2010.3524%2012%2011.4997V20.5C12%2021.6472%2013.2355%202
2.3698%2014.2354%2021.8073L22.2356%2017.3073C23.2551%2016.7339%2023.2551%2015.2661%2022.
2357%2014.6926L14.2354%2010.1923Z%22%20fill%3D%22white%22%20fill-opacity%3D%220.9%22%2
F%3E%0D%0A%3C%2Fsvg%3E)}.mmlist .mc_vtvc{margin:10px 1px 0}.mmlist
.mc_vtvc_con_rc{display:flex}.cardless .mmlist .mc_vtvc_con_rc{height:112px}.mmlist .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px
12px;padding:0}.mmlist
.mc_vtvc_title{font-weight:400;font-size:16px;height:44px;line-height:22px;margin-bottom:0;margin-top:0;c
olor:unset}.mmlist .mc_vtvc_meta_row{font-size:13px}.mmlist .mc_vtvc
.mc_vtvc_meta_block_area{height:unset}.mmlist .mc_vtvc .vtmu,.mmlist .mc_vtvc
.vtpl{bottom:8px}.cardless .mmlist .mc_vtvc{box-shadow:none}.cardless.mmlist
.mc_vtvc_center_play{width:32px;height:32px}.cardless.mmlist
.mc_vtvc_title{font-size:16px;color:unset}.cardless.mmlist
.mc_vtvc_meta_row{line-height:20px}.cardless.mmlist
.mc_vtvc_meta_pubdate{padding-bottom:2px;color:#666}.cardless.mmlist .mc_vtvc_th,.cardless.mmlist
.mc_vtvc_th .cico,.cardless.mmlist .mc_vtvc_th div.rms_img{border-radius:6px}.cardless.mmlist
.mc_vtvc_th{height:111px}.cardless.mmlist
.mc_vtvc_htc{border-radius:6px;overflow:hidden}#serpvidans.vasac.cardless{box-shadow:none}.cardless.m
mmlist .mc_bc{padding:2px 8px;line-height:14px;border-radius:2px;font-weight:normal}.mmlist
.mc_vtvc:hover
.mc_vtvc_title{text-decoration:underline}.mc_vtvc_meta{box-sizing:border-box;display:inline-block;line-hei
ght:18px;position:relative;width:100%}.mc_vtvc_meta_block{bottom:0;position:absolute;width:100%}.mc_v
tvc_meta_row{line-height:16px;font-size:11px;height:17px;overflow:hidden;text-overflow:ellipsis;white-spac
e:nowrap}.mc_vtvc_meta_row a{display:inline-block}.mc_vtvc_meta_row
a:hover{text-decoration:underline}.mc_vtvc_meta_block_area{position:relative}.mc_vtvc_meta_block,.mc_v
tvc_meta_block a{color:#444}.b_dark
.mc_vtvc_meta_block{color:#edebe9}.mc_vtvc_meta_row>:nth-of-type(n+2)::before{content:">" }
".mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before{content:">" }
".mc_vtvc_kmt_title{line-height:18px;padding-bottom:4px;font-weight:bold;color:#00809d;text-transform:u
ppercase;font-size:11px}.mc_vtvc_kmt,.mc_vtvc_con_rc.onhov .wkmt
.mc_vtvc_meta_row,.mc_vtvc_con_rc.onhov .wkmt .tbc_tt{display:none}.mc_vtvc_con_rc.onhov .wkmt
.mc_vtvc_title{max-height:18px;margin-bottom:18px;overflow:hidden}.mc_vtvc_con_rc.onhov.mmsts
.mc_vtvc_title{visibility:hidden}.mc_vtvc_con_rc.onhov
.mc_vtvc_kmt{display:block}.mc_vtvc_kmt_content
.b_factrow{line-height:17px;font-size:11px,max-height:34px;overflow:hidden;text-overflow:ellipsis;padding:
0 16px 0 0;color:#444}.mc_vtvc_meta
.mc_vtvc_kmt_title{line-height:18px}.mc_vtvc_title:hover{text-decoration:none}.mc_vtvc_meta_pubdate{co
lor:#444;padding-bottom:3px}.mc_vtvc_meta_channel{color:#444}.mc_vtvc_meta_w,.mc_vplvc_meta_w{po
```

What is the purpose of the optical sensor module in a microcontroller

```

sition:relative}.mc_vtvc_meta_bg_w,.mc_vplvc_meta_bg_w{height:100%;width:100%;overflow:hidden;posit
ion:absolute;top:0}.mc_vtvc_meta_bg_w.cico,.mc_vplvc_meta_bg_w
.cico{border-radius:0;overflow:visible}.dg_u .mm_vidch_th_c{overflow:visible}.dg_u .mm_vidch_th_bg
img{margin-top:-20px}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_meta_w
.mc_vtvc_meta{background:rgba(255,255,255,.75)}.mc_vtvc_meta_bg_w img,.mc_vtvc_meta_bg_w
.mc_vtvc_cb_w{filter:blur(25px);transform:scale(1.2)}body{--video-metadata-channel-color:#3c3c3c}body.b
_dark{--video-metadata-channel-color:unset}.vsarf .mc_vtvc_meta_pubdate{color:unset}.vsarf
.mc_vtvc_meta_channel{color:var(--video-metadata-channel-color)}.vsarf .mc_vtvc .mc_vtvc_meta_w
.mc_vtvc_title,.vsarf .mc_vtvc .mc_vtvc_meta_w .mc_vtvc_title strong{font-weight:bold}.vsarf
.mc_vtvc_meta_w .mc_vtvc_meta_row{font-size:13px}.emptyStyleForDebuggingPurpose{top:0}.vsarf
.mc_vtvc_th
.cico{height:132px}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.empt
yStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurp
ose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.vtbc
.mv_vtvc_play{display:inline-block;position:absolute;bottom:8px;left:9px;height:8px;width:7px;background:
url(
MVEX////////////////////9/gMdvAAACnRSTlMAETNEVWaImbvuo4D1oAAAAB9JREFUCB
1jmMoABKuaQcSqQhCxKgFGgLnNQIkpQAwA8zkLyQAl6F0AAAAASUVORK5CYII=)}.vtbc
.mv_vtvc_play_ext{background:url(/rp/Lp38sn_O4jegSK0IHxZVxyp-yKQ.png) -172px
-31px;display:inline-block;height:8px;width:12px;position:absolute;bottom:8px;left:6px}.vtbc
.pivot{height:20px;width:8px;min-width:8px}.mc_bc_w{height:18px;padding:8px;text-align:right}.mc_bc{ba
ckground-color:rgba(0,0,0,.75);padding:2px
8px;line-height:14px;color:#fff;display:inline-block;vertical-align:middle;border-radius:2px;font-weight:bold}
.mc_bc_w .pivot{text-align:center;margin-right:1px;height:14px}.vsarr .mmgrid .mc_bc_w
.mc_bc{background-color:rgba(0,0,0,.75);opacity:1}.mmsi{height:16px;width:16px;position:relative;top:5px;
padding-right:var(--smtc-gap-between-content-xx-small)}.mmsi-microsoftnews,.mmsi-msn{top:3px}.vrhdata
{display:none}.mmgrid>div{width:197px;display:inline-block;margin-right:8px;margin-bottom:8px;box-shad
ow:0 0 0 1px
rgba(0,0,0,.05);position:relative;vertical-align:top;overflow:hidden;white-space:normal;border-radius:6px}.vs
arr .mmgrid>div,.vsarr1stbig .mmgrid>div{margin-right:8px;margin-bottom:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{height:auto}#serpvidansrr .mc_vtvc
.mc_vtvc_title{display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}.mmgrid
.mc_tc{border:0}.vsa .mmgrid>div:nth-child(3n){margin-right:0}.vsa
.b_moreLink{padding-top:4px}#serpvidansrr
.mc_vtvc_meta_row{line-height:18px;font-size:100%;height:17px}.vsarr
.mmgrid>div:nth-child(2n){margin-right:0}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:128px}.vsarr1stbig .mmgrid>div:nth-child(2){margin-right:0}#serpvidansrr.uipolish
.mc_vtvc_meta_pubdate,#serpvidansrr.uipolish .mc_vtvc_meta_channel,#serpvidansrr.uipolish #vidans2
.b_videocard .video_metadata .video_source{color:#767676}#serpvidansrr #vidans2 .b_videocard
.video_metadata_container,#serpvidansrr #vidans2 .b_videocard .video_metadata_container

```

What is the purpose of the optical sensor module in a microcontroller

```
.video_metadata>h3{width:100%}@media(max-width:1362.9px){#serpvidansrr
.mmgrid>div{width:168px;height:206px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr .mmgrid>div .cico
.rms_img{width:168px;height:100px}#serpvidansrr .mc_vtvc .mc_vtvc_meta{padding:12px}#serpvidansrr
.mc_vtvc .mc_vtvc_title{height:32px;line-height:16px;margin-bottom:16px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:34px}#serpvidansrr
.mc_vtvc_meta_row{line-height:15px;font-size:13px;height:15px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:4px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:114px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:343px!important;height:194px!important;margin-right:0}}@media(max-width:1274.9px){#s
erpvidansrr .mmgrid>div{width:124px;height:164px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr
.mmgrid>div .cico .rms_img{width:124px;height:76px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{padding:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_title{height:32px;line-height:16px;margin-bottom:12px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:28px}#serpvidansrr
.mc_vtvc_meta_row{line-height:13px;font-size:11px;height:13px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:2px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:96px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:256px!important;height:144px!important;margin-right:0}#serpvidansrr .maskthumb
.mc_bc_w{padding:8px 4px 4px 8px}#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(1),#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(2){margin-bottom:24px}#serpvidansrr.withsplitline .mmgrid{border-bottom:1px
solid #ececec;margin-bottom:16px}#serpvidansrr #vidans2 .b_videocard
.video_metadata{max-width:auto;padding:12px 16px}#serpvidansrr #vidans2
.b_videocard{margin-bottom:12px;box-shadow:0 0 1px rgba(0,0,0,.05),0 2px 3px
rgba(0,0,0,.1);border-radius:6px}#serpvidansrr .b_rich{padding-top:0}#serpvidansrr #vidans2
.videoPlayer{border-radius:6px 6px 0 0;overflow:hidden}#serpvidansrr #vidans2 .b_videocard
.video_metadata>h3{white-space:nowrap;overflow:hidden;text-overflow:ellipsis;-webkit-line-clamp:1;line-he
ight:15px;height:15px;font-size:13px;color:#000;margin-bottom:20px;font-family:var(--bing-smtc-text-style-d
efault-regular-font-family);font-style:normal;display:block}#serpvidansrr.vsarr1stbig #vidans2 .b_videocard
.video_metadata .actionmenu{display:none}#serpvidansrr #vidans2 .b_videocard
.video_summary,#serpvidansrr #vidans2 .b_videocard .video_source{line-height:15px}#serpvidansrr #vidans2
.b_videocard .videoPlayer .vtbc{right:0}.vrhc.inline.nhvpv .pffvi,.vrhc.inline.nhvpv[data-tps="S"]
.pffvt,.vrhc.inline.nhvpv[data-tps="M"] .pffvt,.vrhc.inline.nhvpv[data-tps="L"]
.pffvt{display:inline-flex}.vrhc.inline.nhvpv .vrhtc.pffv .vrhol{display:none}.vrhc.inline.nhvpv .vrhtc.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.mc_vtvc_th img{transition:all
var(--smtc-duration-medium-01) var(--bing-smtc-animation-ease-default)}.nhvpv+.mc_vtvc_th
```

What is the purpose of the optical sensor module in a microcontroller

```
img{transform:scale(1.1)}.smtplayerhtml5{height:100%;width:100%;overflow:hidden}.smtplayerhtml5
video{min-height:100%;min-width:100%}.smtplayerhtml5
.videoplaying{background-color:#000}.smtplayerhtml5.hide{display:none}.pffvt{display:none;color:var(--ma
i-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-subtitle2-strong)}.pffvi{mask:url(/rp/ui
07wU6K7FR_inzG7DRbP1i8fGo.svg)                                center
no-repeat;mask-size:12px;background:var(--bing-smtc-background-card-on-image-default);width:20px;height
:20px;flex-shrink:0;align-self:flex-start}[data-tps="L"]
.pffvt{font:var(--bing-smtc-text-global-subtitle2-strong)}[data-tps="L"]
.pffvi{width:22px;height:22px;mask-size:16px}[data-tps="S"]                                .pffvt{font-size:0}[data-tps="S"]
.pffvi{width:24px;height:24px;mask-size:24px;align-self:center}.hvpv.h5s
.pffvt{display:inline-flex}.hvpv.h5s                .vrhtc.pffv                .vrhol{display:none}.hvpv.h5s                .vrhtc.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.pffvt{text-decoration:underline}.vrhcp
.vrhol{position:absolute;width:100%;height:35px;max-height:35px;bottom:0;left:0;padding:0;background:non
e;display:block;z-index:9}.vrhcp                                .vrhol.hide,.vrhcp                                .vrhol
.hide{display:none}.vrhot{white-space:nowrap;text-overflow:ellipsis;overflow:hidden;display:inline-block;po
sition:absolute;max-width:240px;height:18px;line-height:14px;margin-left:8px;top:10px;left:0;right:0;border-
radius:2px;padding-right:8px}.vrhot
div{display:inline-block}.vrhot.cont{color:#fff;font-size:11px;font-weight:bold;background-color:rgba(0,0,0,.
75);padding:2px                                8px;margin-left:0;top:0;box-sizing:border-box;position:relative}.vrhc
.ricons{position:absolute;right:8px;top:10px;left:auto;bottom:auto;height:18px;display:inline-block;cursor:poi
nter}.vrhol.icons_1                .vrhot{margin-right:27px}.vrhol.icons_2                .vrhot{margin-right:49px}.vrhol.icons_3
.vrhot{margin-right:79px}.vrhol                                .vrhot.cont,.vsb_tr_chd                                .vrhol.icons_1
.vrhot{margin-right:0}.vpb{position:absolute;display:block;bottom:0;left:0;height:4px}.vpb
div{position:absolute}.vpb.cont{width:0;background:#fff}.vpb.cont.test{display:none}.vpb.back{background
-color:#999}.vrhcp                                .vrhol.npb{height:36px;max-height:36px}.vrhol
.vadda{width:22px;height:18px;padding:0;margin-right:0;margin-left:2px;bottom:0;position:relative;display:i
nline-block;z-index:1;background:rgba(0,0,0,.75);border-radius:2px;overflow:hidden}.vrhol
.vadda.hide{display:none}.vrhol                .vadda                .mc_vfaa{margin:3px                5px}.ricons                .vol{float:left}.ricons
.adultFlag{float:right}.vol{width:22px;height:18px;bottom:0;margin-left:1px;margin-right:1px;position:relati
ve;display:inline-block}.vol.hide,.vol                                .hide{display:none}.vol
.bg{background:rgba(0,0,0,.75);border-radius:2px}.vol.bg,.vol.cont{position:absolute;bottom:0}.vol
.vol.bg.volnb{border-radius:0 0 2px 2px}.vol                .volsliderHandle.bg{border-radius:2px 2px 0 0}.vol.cont
.volsliderHandle{height:70px;display:none;width:22px;float:left;bottom:18px;position:absolute;display:block
}.vol.cont                                .volsliderHandle.hide{display:none}.volsliderHandle
.vsb{height:54px;width:4px;background-color:#999;margin:9px                                auto
8px;position:relative;display:block;border-radius:2px}.volsliderHandle
.vsh{height:6px;width:14px;padding:9px                                7px                                9px                                7px;margin:0
-12px;display:block;position:absolute;top:30px}.volsliderHandle                .vsh.hide{display:none}.volsliderHandle
```

What is the purpose of the optical sensor module in a microcontroller

```
.vshi{height:4px;width:14px;background-color:#fff;border-radius:2px}.volMuteIcon{width:16px;height:14px;
margin:2px
4px;float:left}.volMuteHandle{width:22px;height:18px}.vo{background:url(/rp/fFZxBXEIP9WYOO0jhTaEl
yLhEVU.svg) no-repeat}.vm{background:url(/rp/fsX-ZVd03wB2TL0vmQJxSp4U9vs.svg)
no-repeat}.vl{background:url(/rp/YXYMPC1Rry_XJGc7Yg8lR4B2eEs.svg)
no-repeat}.vf{background:url(/rp/NosrlR4amKTs1zYxWy3laZN3HRk.svg)
no-repeat}@media(forced-colors:active){.vol{forced-color-adjust:none}}.vrhc.inline .vt_vp,.vrhc.popout
.vt_vp,.vrhc.mousefollow
.vt_vp{position:absolute;bottom:0;border:hidden;padding:0;top:0;left:0;z-index:3}.vrhtc
.hide{display:none}.vrh_clc .vt_vp,.vrh_clc .vrhtc .vrhi,.vrh_clc .player_ol{cursor:pointer}.vrh_clc
.cico{border-radius:0}.vrhtc{border:hidden;top:0;left:0;padding:0}.vrhc.mousefollow .vrhtc,.vrhc.popout
.vrhtc{background-color:#999}.vrhtpc.load
.player_ol{background:url(/rp/J_o2maogFDeUOsovPJL-ofEuxJ4.gif) center center no-repeat}.vrhc.inline
.vrhtc .vrhi,.vrhc.popout .vrhtc .vrhi,.vrhc.mousefollow .vrhtc
.vrhi{position:absolute!important;border:hidden;z-index:2;padding:0;left:0;top:0}.player_ol{position:absolute
;width:100%;height:100%;bottom:0;border:hidden;z-index:7}.vrhc.popout,.vrhc.inline,.vrhc.mousefollow{bor
der-radius:6px;overflow:hidden;display:table-row-group;background:none}.vrhc.popout,.vrhc.mousefollow{z
-index:4;box-shadow:0 4px 4px rgba(0,0,0,.1),0 2px 80px
rgba(0,0,0,.2)}.vrhc.inline{z-index:1;margin:0}.vrhc.popout,.vrhc.inline{position:absolute;top:0}.vrhc.popout
{border:1px solid
#fff}.vrhc.mousefollow{position:fixed}.vrhcp{position:relative;top:0;left:0;display:table-row}.vrhcp
.vrhtc{position:relative;overflow:hidden}.vrhc.hide{display:none}@keyframes
vh_fadein{from{opacity:0}to{opacity:1}}.vrhc.not(.hide){animation:vh_fadein 250ms}.vrhc.inline
img{color:transparent}.vrhc.inline.fullsize{height:100%}.vrhc,.vrhc: hover,.vrhc: link,.vrhc: active,.vrhc: visited
{color:#000;text-decoration:none}.vrhc.vrh_clc{cursor:pointer}a.hover-anchor{display:block;height:100%;wi
dth:100%;text-decoration:none}.vrhstat{height:0;overflow:hidden}.grad{width:100%;height:24px;position:ab
solute;bottom:0;background:linear-gradient(180deg,rgba(255,255,255,0) 0%,#fff 100%)}.b_drk .grad,.b_dark
.grad{background:linear-gradient(180deg,rgba(41,40,39,0) 0%,#292827
95%)}b_module_expansion_control{padding-bottom:4px}b_module_expansion
b_expansion_wrapper{border-top:1px solid
#cdcdcd}b_module_expansion_control.b_module_head>b_module_expansion
b_expansion_wrapper{border-top:0}b_module_expansion
b_expmob_rc{border-top:0}b_module_expansion b_expansion_wrapper,b_module_expansion
b_offpage_expansion a,#b_results b_module_expansion b_offpage_expansion
a{color:#666}b_module_expansion b_expansion_wrapper
sv_ch{fill:#666}b_module_expansion_control.b_module_head>b_module_expansion
b_expansion_wrapper,b_module_expansion_control.b_module_head>b_module_expansion
b_offpage_expansion a,#b_results b_module_expansion_control.b_module_head>b_module_expansion
b_offpage_expansion a{color:#666}b_module_expansion_control.b_module_head>b_module_expansion
b_expansion_wrapper sv_ch{fill:#666}#b_context b_module_expansion
```

What is the purpose of the optical sensor module in a microcontroller

```
.b_expansion_wrapper{border-top:1px solid #ebebeb}#b_context
.b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper{border-top:0}#b_pole .b_module_expansion .b_offpage_expansion
a{color:#666}#b_pole .b_module_expansion_control.b_module_head>.b_module_expansion
.b_offpage_expansion a{color:#666}#b_context .b_module_expansion .b_offpage_expansion
a{color:#666}#b_context .b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper,#b_context .b_module_expansion_control.b_module_head>.b_module_expansion
.b_offpage_expansion a{color:#767676}#b_context
.b_module_expansion_control.b_module_head>.b_module_expansion .b_expansion_wrapper
.sv_ch{fill:#767676}.b_btnContainer{width:100%;height:46px;border-radius:0 6px 6px
0;position:absolute;bottom:-20px}.b_CompactExpansion:active{background-color:#00526b}.b_CompactExpansion:
hover{background-color:#106ebe;cursor:pointer}.b_CompactExpansion{background-color:#106ebe;color:#fff;border-radius:16px;
height:30px}.b_CompactExpansion{display:inline-block;line-height:30px;text-align:center;padding-left:16px;padding-right:16px;
position:relative;left:50%;transform:translateX(-50%);bottom:-11px;z-index:4;pointer-events:auto}html[dir="rtl"]
.b_CompactExpansion{transform:translateX(50%)}.b_CompactExpansion
.b_arrow{margin-left:7px;margin-bottom:-1.75px;display:inline-block;height:.75em}.b_algo_group
.b_CompactExpansion
.b_arrow{margin-left:3px;height:7px;margin-bottom:0;width:12px}.b_CompactExpansionBtnText{font-family:inherit;font-style:normal;font-weight:400;font-size:13px;line-height:20px;color:#fff;display:inline-block}
Videos of What Is The Purpose Of The Optical Sensor Module In a Microcontroller
Watch video5:22How to use an Optical Sensor with a Microcontroller
YouTubeParker Dillmann10.4K viewsMar 17, 2011Watch video2:35Optical Sensors | Tech Explainer
YouTubeROHM Semiconductor2.9K viewsJul 19, 2022Watch video17:56Optical Fiber Communication with Arduino | Arduino-Powered Data Transmission with Fiber Optics
YouTubeELECTRONICS TREE56.2K viewsNov 2, 2023Watch full videoSee more.rcimgcol .cico { background: #f5f5f5; } .b_drk .rcimgcol .cico, .b_dark .rcimgcol .cico { background: unset; }
.b_imgSet .b_hList li.square_m,.b_imgSet .b_hList li.tall_m{width:75px}.b_imgSet .b_hList li.tall_mlb{width:113px}.b_imgSet .b_hList li.tall_mln{width:96px}.b_imgSet .b_hList li.wide_m{width:128px}.b_imgSet.b_Card .b_hList li{padding-left:1px;padding-right:9px}.b_imgSet.b_Card .b_hList li.tall_wfn{width:80px;padding-right:6px}.b_imgSet.b_Card .b_hList li:last-child{padding-right:1px}.b_imgSet.b_Card .b_imgSetData{padding:0 8px 8px;height:40px}.b_imgSet.b_Card .b_imgSetItem{box-shadow:0 0 0 1px rgba(0,0,0,.05),0 2px 3px 0 rgba(0,0,0,.1);border-radius:6px;overflow:hidden}.b_imgSet .b_imgSetData p a{color:#444;outline-offset:0}.b_subModule .b_clearfix.b_mhdr .b_floatR .b_moreLink,.b_subModule .b_clearfix.b_mhdr .b_floatR
.b_moreLink:visited,.b_subModule>.b_moreLink,.b_subModule>.b_moreLink:visited{color:#767676}.b_imgSet
.cico.b_placeholder{display:flex;justify-content:center;background-color:#f5f5f5;background-clip:content-box}.b_imgSet .cico.b_placeholder a{display:flex}.b_imgSet .cico.b_placeholder a
img{width:48px;height:48px;margin:auto}@media(max-width:1362.9px){#b_context .b_entityTP .b_imgSet
```

What is the purpose of the optical sensor module in a microcontroller

```

li:nth-child(5){display:none}.b_imgSet .b_hList
li.wide_m:nth-child(3){display:none}@media(max-width:1274.9px){#b_context .b_entityTP .b_imgSet
li:nth-child(4){display:none}.b_imgSet .b_hList li.wide_m:nth-child(2){display:none}}.rcimgcol
.b_imgSet{content-visibility:auto;contain-intrinsic-size:1px
124px}.rcimgcol{height:108px;padding-top:var(--smtc-gap-between-content-x-small);padding-bottom:var(--s
mtc-gap-between-content-x-small)}.b_algo:has(.b_agh)
.rcimgcol{padding-top:var(--smtc-gap-between-content-xx-small)}.rcimgcol
.b_imgSet{overflow:hidden}.rcimgcol .b_imgSet
ul{overflow-x:auto;overflow-y:hidden;white-space:nowrap;padding-left:0}.rcimgcol .b_imgSet
ul::-webkit-scrollbar{-webkit-appearance:none}.rcimgcol .b_imgSet
.b_hList>li{padding-right:var(--smtc-padding-ctrl-text-side)}.rcimgcol .b_imgSet
.cico{border-radius:unset}.rcimgcol .b_imgSet .b_hList>li:first-child .cico,.rcimgcol .b_imgSet
.b_hList>li:first-child .cico
a{border-radius:unset;border-top-left-radius:var(--mai-smtc-corner-card-default);border-bottom-left-radius:var
(--mai-smtc-corner-card-default);overflow:hidden}.rcimgcol .b_imgSet .b_hList>li:last-child .cico,.rcimgcol
.b_imgSet .b_hList>li:last-child .cico
a{border-radius:unset;border-top-right-radius:var(--mai-smtc-corner-card-default);border-bottom-right-radius:
var(--mai-smtc-corner-card-default);overflow:hidden}.rcimgcol .rcimgcol
.b_sideBleed{margin-left:unset;margin-right:unset}.rcimgcol .b_imgclgovr{cursor:pointer}.rcimgcol
.b_imgclgovr .cico img: hover{transform:scale(1.05);transition:transform .5s ease}#b_content
#b_results>.b_algo
.b_caption:has(.rcimgcol){padding-right:var(--mai-smtc-padding-card-default);margin-right:calc(-1*var(--mai
-smtc-padding-card-default));margin-left:calc(-1*var(--mai-smtc-padding-card-default));padding-left:var(--ma
i-smtc-padding-card-default)}.rcimgcol .b_imgSet .b_hList .cico
a{display:flex;outline-offset:-2px}.insightsOverlay,#OverlayIFrame.b_mcOverlay.insightsOverlay{position:fi
xed;top:5%;left:5%;bottom:5%;right:5%;width:90%;height:90%;border:0;border-radius:15px;margin:0;paddin
g:0;overflow:hidden;z-index:9;display:none}#OverlayMask,#OverlayMask.b_mcOverlay{z-index:8;backgrou
nd-color:#000;opacity:.6;position:fixed;top:0;left:0;width:100%;height:100%}.rcimgcol
.b_hList>li{position:relative;padding-bottom:0}.rcimgcol .b_hList>li
.iacf_smol{pointer-events:none;border-top-right-radius:var(--mai-smtc-corner-card-default);border-bottom-rig
ht-radius:var(--mai-smtc-corner-card-default);white-space:normal}.rcimgcol .b_hList
.cico{margin-bottom:0}.iacf_smol{display:flex;justify-content:center;align-items:center;gap:var(--smtc-gap-b
etween-content-xx-small);width:100%;height:100%;background:var(--smtc-background-smoke);position:abso
lute;left:0;top:0;color:var(--mai-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-body2-s
trong);flex-wrap:wrap;align-content:center;text-align:center}.iacf_smol: hover{text-decoration:underline}.iacf
mit[data-nohov] .iacfimgc .cico img{transform:none}.b_factrow>li.b_sritem,.b_factrow
.ssp_expert{font-weight:bold}.b_factrow.b_twofr
.b_sritem>.b_sritemp{display:inline;font-weight:normal}.b_factrow.b_twofr
.b_sritem{font-weight:bold}.b_factrow.b_twofr
.csrc{margin-left:5px}.b_factrow.b_twofr{padding-top:4px}.b_factrow.b_twofr

```

What is the purpose of the optical sensor module in a microcontroller

ul:first-child{max-width:calc(50% - 20px)}.b_factrow.b_twofr
ul:first-child+ul{max-width:50%}.b_factrow.b_twofr ul li
div{white-space:nowrap;text-overflow:ellipsis;overflow:hidden}.b_imagePair.wide_wideAlgo
.b_factrow.b_twofr .b_vlist2col{display:flow-root}circuitdesigner.comHow to Use Optical Sensor: Examples, Pinouts, and SpecsSee MoreLearn how to use the Optical Sensor with detailed documentation, including pinouts, usage guides, and example projects. Perfect for students, hobbyists, and developers integrating the Optical Sensor into

jobs.ac.uk has been optimised for the latest browsers. For the best user experience, we recommend viewing jobs.ac.uk on one of the following:

In short, the function of optical modules is photoelectric conversion; the transmitter converts the electrical signal into an optical signal, and then the

It detects motor speed through an optical sensor that outputs pulses to a pin when an item passes through its slot. It has digital and analog outputs, LED indicators,

Selecting a compact ToF laser sensor in 2026 is no longer about finding the smallest module on the market. For engineers, system integrators, and OEM buyers, the real challenge is choosing a sensor

This configuration enables the monitoring of optical module parameters like RX/TX power, voltage, temperature, and bias current, facilitating

Make your sensor projects faster, cleaner, and more reliable--with Schmartboard. Whether you're monitoring temperature, detecting motion, or

A modern screen is not a single sheet of glass; it is a bonded stack of cover glass, touch sensors, display layers, optical films, coatings, and adhesives. Damage to one layer often affects the others

Our purpose: Make the world more sustainable by building trust in society through innovation.

Port of Dropbox's zxcvbn password strength library for Rust - shssoichiro/zxcvbn-rs

This type of sensor gives information about the colour of the light illuminating the sensor surface. Because computers often use RGB (red, green, blue) colour schemes, the sensor returns three

The camera sensor may have been tested and calibrated at the semiconductor manufacturing facility, following fabrication and before shipment to a cellular telephone manufacturer. During camera

Fiber Optic Communication Modules: Fiber optic modules use light signals for high-speed data transmission

What is the purpose of the optical sensor module in a microcontroller

and are commonly found in telecom

IR sensor is a device that uses infrared technology to detect objects or changes in the environment. IR sensors can detect a wide range of physical

Web: <https://www.morwarreconst.co.za>

